Date User:

Friday, 02/05/2008 7:03:33 AM

Linda Lacelle

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number Estimate Number : 38975

: 11918

P.O. Number

Written By

Comment

: 02/05/2008

This Issue Prsht Rev.

: NC

First Issue **Previous Run**

Checked & Approved By

Type

S.O. No. :

00.01.12

: SMALL /MED FAB

Re-format EC

Part Number Drawing Number

Drawing Name

Project Number **Drawing Revision**

Material

Due Date

: D2003035

: 09/05/2008

Batch: 17167967

: B

· UNDER REVIEW : N/A

: TUBE ASSEMBLY

5 Um:

Each

5

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

: Est

Description:

M304TR0500W035

304 RD Tube .500 x .035W

Comment: Qty.:

2.3625 f(s)/Unit Total: 11.8125 f(s)

304 RD Tube .500 x .035W

Cut as per template D2003-035 (27.00" long)

Material:1/2"Æ x 0.035" wall AISI 304 SS tubing

Cut: 24.7" long as per Dwg D2003 Material: M2650-6 Heat sleeve Batch: Republic

Firesleeve-crkl .375IDia

FF 08-05-23

2.0

M26506

Comment: Qty: 2.0600 f(s)/Unit

Total: 10.3000 f(s)

Firesleeve-crkl .375IDia

Sleeve



3.0

MS208198J

2.0000 Each(s)/Unit Total:

10.0000 Each(s)

Pick

Comment: Qty.:

Qty Part Number Desc

Batch:

2 MS20819-8J Sleeve

08-05-23

08-05-23

4.0

AN8188J

Comment: Qty.:

2.0000 Each(s)/Unit

Total: 10.0000 Each(s)

Pick

Qty Part Number Desc Batch:

2 AN818-8J

Nut

08-05-23

Dart Ae	rospace l	_td							
W/O:			W	ORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				, P					
									,
Part No	:	PAR #:	Fault Cate	gory: N	ICR: Yes	No DQ	A:	Date:	
					QA: N/	C Close	d:	_ Date: _	·····
NCR:		1	WORK ORD	ER NON-CONFORMANO	CE (NCR)			
		Description of NC		Corrective Action Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date			Chief Eng	QC Inspector
							-		

Friday, 02/05/2008 7:03:33 AM Date: . User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job Number: 38975 Part Number: D2003035 Job Number: Seq. #: Description: **Machine Or Operation:** D2182045 Heat Shrink 4.5" Long 5.0 Comment: Qty.: 5.0000 Each(s) 1.0000 Each(s)/Unit Total: Pick: Description Qty Part Number 08-05-23 Heat Shrink 4.5" Long D2182-045 SMALL FAB Comment: SMALL & MEDIUM FAB RESOURCE 1 Form tube as per template D2003-035 Assemble as per Dwg D2003 08-05-23 INSPECT WORK TO CURRENT STEP 7.0 QC5 Comment: INSPEC WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE #1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/ORELE QC21 9.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHA	NGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		F			<u> </u>		
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _	
			QA:	N/C Close	d:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval QC Inspector				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C						
						1						





DESIG	4	DRAWN BY	DART AEROSPACE LTD hawkesbury, ontario, canada					
CHEC	KEØ.	APPROVED	DRAWING NO. REV.					
4	15	1 47	D2003 SHEET 1 OF					
DATE	,		TITLE SCAL					
99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NO					
Α		90.04.09	NEW ISSUE					
В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)					

RELEASED 49.06.09 KED

UNDER REVIEW

M6 38975

						,				 		
P/N	TEMPLATE	HEATSLEEVE LENGTH	CUT LENGTH OF TUBE ²	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	DESC	MATERIAL ^{4/8/7}	VENDOR OR SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12		-			2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0,375 OD x 0,035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54			<u> </u>		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	5061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-013	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60		-	2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-027	17.2	18.00			- 5	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2	1				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2		-			TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2	1	OB	.0	1.0	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2		<u>, </u>			TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2	•				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2				_	TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0,375 OD x 0,035 W	WW-T-600/6
D2003-101	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4,0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0					\vdash			HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6

Dart Ae	rospace	e Ltd						
W/O:			V	ORK ORDER CHANGE	S		* * * * * * * * * * * * * * * * * * *	
DATE	STEP	PR	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	•	PAR #:	Fault Cat	tegory:	NCR: Yes	No DQA:	Date: _	
					QA: N	/C Closed:	Date: _	
NCR:			WORK ORI	DER NON-CONFORMA	NCE (NCF	R)		
		Description of NC		Corrective Action Section	n B	Verification	Approval	Approval
DATE	STEP	Section A Cr		Action Description Chief Eng	Sign 8 Date	Section C	Chief Eng	QC Inspector


NCR:		WORK ORDER HON-GOM ORMANGE (NOR)										
· · · · · · · · · · · · · · · · · · ·		Description of NC		Corrective Action Section B	Verification	Approval	Annewal					
DATE	STEP	STEP Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector				
			·									






a ()				
DESIGN	DRAWN BY		AEROSPACE LTD KESBURY, ONTARIO, CANADA	
7	1919			REV. B
CHECKED	APPADVED	DRAWING NO.		_
4-6	1 1/2	D2003	SHEET 2	OF 2
DATE	1	TITLE		SCALE
99.06.08		206 CABIN HE	EATER TUBE ASSEMBLIES	NTS





Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.



Dart Aerospace Ltd

W/O:		WORK ORDER CH	IANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			,				
					`		
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _	
		•	QA:	N/C Close	d:	Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC Section A		Corrective Action Section B	Verification	Approval	Annroyal					
DATE	STEP		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector				
						,						
*												
		·			_							
		4						1				
	4.			`.								